

(EDSCB)

Manufacturer	Equipment		Standard <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>		
<b>Analogic</b>	<b>ConneCT</b>	<i>Detection Algorithm:</i> 9.04 <i>Auxiliary Hardware:</i> Viewing station (P/N 10-79037-00) Scarabee tray (P/N 21-06027-01) <i>CONOPS:</i> 16-01519 Rev.00-2016	<b>C2</b>	20/9/2017
<b>Analogic</b>	<b>ConneCT</b>	<i>Detection Algorithm:</i> 9.07 <i>Auxiliary Hardware:</i> Viewing station (P/N 10-79037-00) Scarabee tray (P/N 21-06027-01) <i>CONOPS:</i> 16-01519 Rev.00-2016	<b>C2</b>	23/3/2018
<b>Analogic</b>	<b>ConneCT</b>	<i>Detection Algorithm:</i> 9.07 <i>Auxiliary Hardware:</i> Viewing station (P/N 10-79037-00) Herbert tray (P/N 42112482) <i>CONOPS:</i> 16-01519 Rev.03-2018	<b>C2</b>	20/12/2018
<b>Analogic</b>	<b>ConneCT</b>	<i>Detection Algorithm:</i> 9.11 <i>Auxiliary Hardware:</i> Viewing station (P/N 10-79037-00) Vanderlande tray (P/N 095527-727) <i>CONOPS:</i> 16-01519 Rev.03-2018	<b>C2</b>	20/12/2018
<b>Analogic</b>	<b>ConneCT</b>	<i>Detection Algorithm:</i> 9.15.01 <i>Auxiliary Hardware:</i> Viewing station (P/N 10-79037-00) Herbert tray (P/N 42112482) <i>CONOPS:</i> 16-01519 Rev.03-2018	<b>C2</b>	04/03/2019
<b>Analogic</b>	<b>ConneCT</b>	<i>Detection Algorithm:</i> 9.15.01 <i>Auxiliary Hardware:</i> Viewing station (P/N 10-79037-00) Vanderlande tray (P/N 095527-727) <i>CONOPS:</i> 16-01519 Rev.03-2018	<b>C2</b>	04/03/2019

Manufacturer	Equipment		Standard <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>		
<b>Analogic</b>	<b>ConneCT</b>	<i>Detection Algorithm:</i> 9.15.01 <i>Auxiliary Hardware:</i> Viewing station (P/N 10-79037-00) MacDonald Humfrey tray (P/N 12043-SLT) <i>CONOPS:</i> 16-01519 Rev.03-2018	<b>C2</b>	04/03/2019
<b>Analogic</b>	<b>ConneCT</b>	<i>Detection Algorithm:</i> v9.17.01 <i>Auxiliary Hardware:</i> Viewing station (P/N 10-79037-00) Vanderlande tray (P/N 095527-727) <i>CONOPS:</i> 16-01519 Rev.03-2018	<b>C3</b>	04/03/2019
<b>Analogic</b>	<b>ConneCT</b>	<i>Detection Algorithm:</i> 9.17.02 <i>Auxiliary Hardware:</i> Viewing station (P/N 10-79037-00) Herbert tray (P/N 42112482) <i>CONOPS:</i> 16-01519 Rev.03-2018	<b>C3</b>	04/03/2019
<b>Analogic</b>	<b>ConneCT</b>	<i>Detection Algorithm:</i> 9.17.02 <i>Auxiliary Hardware:</i> Viewing station (P/N 10-79037-00) MacDonald Humfrey tray (P/N 12043-SLT) <i>CONOPS:</i> 16-01519 Rev.03-2018	<b>C3</b>	04/03/2019
<b>Analogic</b>	<b>ConneCT</b>	<i>Detection Algorithm:</i> 9.19.04 <i>Auxiliary Hardware:</i> Viewing station (P/N 10-79037-00) Herbert (P/N 42112482) MacDonald Humfrey (P/N 12043-SLT) Vanderlande (P/N 095527-727) <i>CONOPS:</i> 16-01519-rev03-2018	<b>C3</b>	29/11/2019

Manufacturer	Equipment		Standard <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>		
Gilardoni	<b>FEP ME 640 AMX</b>	<i>Hardware:</i> 37548400-001 <i>Detection Algorithm:</i> 3AUE0294-005 <i>Auxiliary Hardware:</i> Gilardoni Tray (P/N 55203181) <i>CONOPS:</i> 37640500-001	<b>C1</b>	23/3/2018



Manufacturer	Equipment		Standard <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>		
IDSS Holdings Inc.	<b>Detect 1000</b>	<i>Hardware:</i> Detect 1000 <i>Detection Algorithm:</i> 200.3.0 <i>Auxiliary Hardware:</i> Scarabee tray: SSL01_XA001_NH <i>CONOPS:</i> CONOPS 1 SRT	<b>C2</b>	6/6/2017
IDSS Holdings Inc.	<b>Detect 1000</b>	<i>Hardware:</i> Detect 1000 <i>Detection Algorithm:</i> 200.3.0 <i>Auxiliary Hardware:</i> MacDonald Humfrey tray: 12043-SLT <i>CONOPS:</i> CONOPS 1 SRT	<b>C2</b>	6/6/2017
IDSS Holdings Inc.	<b>Detect 1000</b>	<i>Hardware:</i> Detect 1000 <i>Detection Algorithm:</i> 201.1.1 <i>Auxiliary Hardware:</i> MacDonald Humfrey tray: 12043-SLT <i>CONOPS:</i> Detect 1000 user guide Revision 3.0	<b>C2</b>	24/1/2018
IDSS Holdings Inc.	<b>Detect 1000</b>	<i>Hardware:</i> Detect 1000 <i>Detection Algorithm:</i> 201.1.1 <i>Auxiliary Hardware:</i> Scarabee tray: SSL01_XA001_NH <i>CONOPS:</i> Detect 1000 user guide Revision 3.0	<b>C2</b>	24/1/2018
IDSS Holdings Inc.	<b>Detect 1000</b>	<i>Hardware:</i> Detect 1000 <i>Detection Algorithm:</i> 205.0.0 <i>Auxiliary Hardware:</i> Scarabee tray: SSL01_XA001_NH <i>CONOPS:</i> Detect 1000 user guide Revision 3.0	<b>C2</b>	19/10/2018 *26/10/2018  *Correction of entry



Manufacturer	Equipment		Standard <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>		
IDSS Holdings Inc.	<b>Detect 1000</b>	<i>Hardware:</i> Detect 1000 <i>Detection Algorithm:</i> 205.0.0 <i>Auxiliary Hardware:</i> MacDonald Humfrey tray: 12043-SLT <i>CONOPS:</i> Detect 1000 user guide Revision 3.0	<b>C2</b>	19/10/2018 *26/10/2018  *Correction of entry
IDSS Holdings Inc.	<b>Detect 1000</b>	<i>Hardware:</i> Detect 1000 <i>Detection Algorithm:</i> 314.0.1 <i>Auxiliary Hardware:</i> Scarabee tray: SSL01_XA001_NH <i>CONOPS:</i> Detect 1000 user guide Revision 3.0	<b>C3</b>	19/10/2018 *26/10/2018  *Correction of entry
IDSS Holdings Inc.	<b>Detect 1000</b>	<i>Hardware:</i> Detect 1000 <i>Detection Algorithm:</i> 314.0.1 <i>Auxiliary Hardware:</i> MacDonald Humfrey tray: 12043-SLT <i>CONOPS:</i> Detect 1000 user guide Revision 3.0	<b>C3</b>	19/10/2018 *26/10/2018  *Correction of entry
IDSS Holdings Inc.	<b>Detect 1000</b>	<i>Hardware:</i> Detect 1000 <i>Detection Algorithm:</i> 326.0.0 <i>Auxiliary Hardware:</i> Tray: VanDerLande Bandeja Scannojet <i>CONOPS:</i> Mfg. No. 1000D1000v4.0	<b>C3</b>	15/07/2019


Manufacturer	Equipment		Standard <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>		
<b>L3 Technologies, Inc.</b>	<b>ClearScan</b>	<i>Hardware:</i> 1000-10001-CS <i>Detection Algorithm:</i> EDS_1.2.5 <i>Auxiliary Hardware:</i> Scarabee tray: SSL01_XA001_NH <i>CONOPS:</i> 8100-26282-OM	<b>C2</b>	6/6/2017
<b>L3 Technologies, Inc.</b>	<b>ClearScan</b>	<i>Hardware:</i> 1000-10001-CS <i>Detection Algorithm:</i> EDS_1.2.5 <i>Auxiliary Hardware:</i> MacDonald Humfrey tray: 12043-SLT <i>CONOPS:</i> 8100-26282-OM	<b>C2</b>	6/6/2017
<b>L3 Technologies, Inc.</b>	<b>ClearScan</b>	<i>Hardware:</i> 1000-10001-CS <i>Detection Algorithm:</i> EDS_1.2.5 <i>Auxiliary Hardware:</i> Herbert tray: 91280AS <i>CONOPS:</i> 8100-26282-OM	<b>C2</b>	6/6/2017
<b>L3 Technologies, Inc.</b>	<b>ClearScan</b>	<i>Hardware:</i> 1000-10001-CS <i>Detection Algorithm:</i> EDS_1.4.14 <i>Auxiliary Hardware:</i> Herbert tray: 91280AS <i>CONOPS:</i> 8100-26282-OM	<b>C3</b>	24/1/2018
<b>L3 Technologies, Inc.</b>	<b>ClearScan</b>	<i>Hardware:</i> 1000-10001-CS <i>Detection Algorithm:</i> EDS_1.4.15 <i>Auxiliary Hardware:</i> Scarabee tray: SSL01_XA001_NH <i>CONOPS:</i> 8100-26282-OM	<b>C3</b>	24/1/2018

Manufacturer	Equipment		Standard <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>		
<b>L3 Technologies, Inc.</b>	<b>ClearScan</b>	<i>Hardware:</i> 1000-10001-CS <i>Detection Algorithm:</i> EDS_1.4.18 <i>Auxiliary Hardware:</i> MacDonald Humfrey tray: 12043-SLT <i>CONOPS:</i> 8100-26282-OM	<b>C3</b>	24/1/2018
<b>L3 Technologies, Inc.</b>	<b>ClearScan</b>	<i>Hardware:</i> 1000-10001-CS <i>Detection Algorithm:</i> EDS_1.4.25 <i>Auxiliary Hardware:</i> Scarabee tray (P/N SSL01_XA001_NH) <i>CONOPS:</i> 8100-26282-OM	<b>C3</b>	20/12/2018
<b>L3 Technologies, Inc.</b>	<b>ClearScan</b>	<i>Hardware:</i> 1000-10001-CS <i>Detection Algorithm:</i> EDS_1.4.25 <i>Auxiliary Hardware:</i> MacDonald Humfrey tray: (P/N 12043-SLT) <i>CONOPS:</i> 8100-26282-OM	<b>C3</b>	20/12/2018

Manufacturer	Equipment		Standard <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>		
Nuotech	Kylin	Hardware: DHV 1.0 Detection Algorithm: v3.5.7 Auxiliary Hardware: Scannojet Tray v4: P10128 revA CONOPS: v1.0	C1	24/1/2018
Nuotech	Kylin	Hardware: DHV 1.0 Detection Algorithm: v3.5.9 Auxiliary Hardware: Scannojet Tray v4: P10128 revA CONOPS: v1.0	C2	24/1/2018
Nuotech	CX6040D	Detection Algorithm: Eda V1.0.0 Auxiliary Hardware: NUC680 tray (P/N v1) Scannojet tray v4 (Model: P10128 RevA) CONOPS: CONOPS CX6040D V1.0	C1	19/10/2018
Nuotech	CX6040D	Detection Algorithm: Eda V1.0.0 Auxiliary Hardware: Scannojet tray v4 (Model: P10128 RevA) CONOPS: CONOPS CX6040D V1.0	C1	19/10/2018
Nuotech	Kylin Ti	Hardware: Kylin Ti DHV 1.0 Detection Algorithm: v3.6.10 Auxiliary Hardware: NUC680 tray (P/N v1) CONOPS: Kylin Ti v1.0	C3	20/12/2018
Nuotech	Kylin MV	Hardware: DHV 1.0 Detection Algorithm: v7.0.3 Auxiliary Hardware: NUC680 tray (P/N v1) CONOPS: v1.0	C2	04/03/2019



Manufacturer	Equipment		Standard <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>		
Nuotech	Kylin MV	<i>Hardware:</i> DHV 1.0 <i>Detection Algorithm:</i> v7.0.3 <i>Auxiliary Hardware:</i> Scannojet Tray v4 (Model: P10128 revA) <i>CONOPS:</i> v1.0	<b>C2</b>	04/03/2019
Nuotech	Kylin Ti	<i>Hardware:</i> Kylin Ti DHV 1.0 <i>Detection Algorithm:</i> v3.6.10 <i>Auxiliary Hardware:</i> Scannojet Tray v4 (Model: P10128 revA) <i>CONOPS:</i> Kylin Ti v1.0	<b>C3</b>	04/03/2019



Manufacturer	Equipment		Standard <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>		
<b>Rapiscan</b>  (Re-branded: Analogic, ConneCT)	<b>920CT</b>	<i>Detection Algorithm:</i> 9.04 <i>Auxiliary Hardware:</i> Viewing station (P/N 10-79037-00) Scarabee tray (P/N 21-06027-01) <i>CONOPS:</i> 16-01519 Rev.00-2016	<b>C2</b>	28/05/2018  (Configuration change: re-branding)
<b>Rapiscan</b>  (Re-branded: Analogic, ConneCT)	<b>920CT</b>	<i>Detection Algorithm:</i> 9.07 <i>Auxiliary Hardware:</i> Viewing station (P/N 10-79037-00) Scarabee tray (P/N 21-06027-01) <i>CONOPS:</i> 16-01519 Rev.00-2016	<b>C2</b>	28/05/2018  (Configuration change: re-branding)
<b>Rapiscan</b>  (Re-branded: Analogic, ConneCT)	<b>920CT</b>	<i>Detection Algorithm:</i> 9.07 <i>Auxiliary Hardware:</i> Viewing station (P/N 10-79037-00) Herbert tray (P/N 42112482) <i>CONOPS:</i> 16-01519 Rev.03-2018	<b>C2</b>	20/12/2018  (Configuration change: re-branding)
<b>Rapiscan</b>  (Re-branded: Analogic, ConneCT)	<b>920CT</b>	<i>Detection Algorithm:</i> 9.11 <i>Auxiliary Hardware:</i> Viewing station (P/N 10-79037-00) Vanderlande tray (P/N 095527-727) <i>CONOPS:</i> 16-01519 Rev.03-2018	<b>C2</b>	20/12/2018  (Configuration change: re-branding)
<b>Rapiscan</b>	<b>620DV</b>	<i>Detection Algorithm:</i> 4.517 <i>Auxiliary Hardware:</i> MacDonald Humfrey tray (P/N 101005244) <i>CONOPS:</i> D00370 Rev.1	<b>C1</b>	20/12/2018
<b>Rapiscan</b>  (Re-branded: Analogic, ConneCT)	<b>920CT</b>	<i>Detection Algorithm:</i> 9.15.01 <i>Auxiliary Hardware:</i> Viewing station (P/N 10-79037-00) Herbert tray (P/N 42112482) <i>CONOPS:</i> 16-01519 Rev.03-2018	<b>C2</b>	04/03/2019

Manufacturer	Equipment		Standard <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>		
<b>Rapiscan</b>  (Re-branded: Analogic, ConneCT)	<b>920CT</b>	<i>Detection Algorithm:</i> 9.15.01 <i>Auxiliary Hardware:</i> Viewing station (P/N 10-79037-00) Vanderlande tray (P/N 095527-727) <i>CONOPS:</i> 16-01519 Rev.03-2018	<b>C2</b>	04/03/2019
<b>Rapiscan</b>  (Re-branded: Analogic, ConneCT)	<b>920CT</b>	<i>Detection Algorithm:</i> 9.15.01 <i>Auxiliary Hardware:</i> Viewing station (P/N 10-79037-00) MacDonald Humfrey tray (P/N 12043-SLT) <i>CONOPS:</i> 16-01519 Rev.03-2018	<b>C2</b>	04/03/2019
<b>Rapiscan</b>  (Re-branded: Analogic, ConneCT)	<b>920CT</b>	<i>Detection Algorithm:</i> v9.17.01 <i>Auxiliary Hardware:</i> Viewing station (P/N 10-79037-00) Vanderlande tray (P/N 095527-727) <i>CONOPS:</i> 16-01519 Rev.03-2018	<b>C3</b>	04/03/2019
<b>Rapiscan</b>  (Re-branded: Analogic, ConneCT)	<b>920CT</b>	<i>Detection Algorithm:</i> 9.17.02 <i>Auxiliary Hardware:</i> Viewing station (P/N 10-79037-00) Herbert tray (P/N 42112482) <i>CONOPS:</i> 16-01519 Rev.03-2018	<b>C3</b>	04/03/2019
<b>Rapiscan</b>  (Re-branded: Analogic, ConneCT)	<b>920CT</b>	<i>Detection Algorithm:</i> 9.17.02 <i>Auxiliary Hardware:</i> Viewing station (P/N 10-79037-00) MacDonald Humfrey tray (P/N 12043-SLT) <i>CONOPS:</i> 16-01519 Rev.03-2018	<b>C3</b>	04/03/2019

(EDSCB)

Manufacturer	Equipment		Standard <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>		
<b>Rapiscan</b>  (Re-branded: Analogic, ConneCT)	<b>920CT</b>	<i>Detection Algorithm:</i> 9.19.04 <i>Auxiliary Hardware:</i> Viewing station (P/N 10-79037-00) Herbert (P/N 42112482) MacDonald Humfrey (P/N 12043-SLT) Vanderlande (P/N 095527-727)  <i>Detection Algorithm:</i> 9.19.04 <i>CONOPS:</i> 16-01519 Rev.03-2018	<b>C3</b>	29/11/2019





Manufacturer	Equipment		Standard <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>		
Smiths Detection	HI-SCAN 6040aTiX	<i>Hardware:</i> 6040aTiX <i>Detection Algorithm:</i> 09-12-23 <i>Auxiliary Hardware:</i> Schoeller Allibert tray 2A021 (P/N 11112352) <i>CONOPS:</i> 95595885 (2016/09/26)	C1	19/12/2016
Smiths Detection	HI-SCAN 6040aTiX	<i>Hardware:</i> 6040aTiX <i>Detection Algorithm:</i> 09-15-12 <i>Auxiliary Hardware:</i> Herbert Tray 91280AS (P/N 34460688) <i>CONOPS:</i> 95595885 (2016/09/26)	C1	6/6/2017
Smiths Detection	HI-SCAN 6040aTiX	<i>Hardware:</i> 6040aTiX <i>Detection Algorithm:</i> 09-15-13 <i>Auxiliary Hardware:</i> Herbert Tray 91280AS (P/N 34460688) <i>CONOPS:</i> 95595885 (2016/09/26)	C1	6/6/2017
Smiths Detection	HI-SCAN 6040aTiX	<i>Hardware:</i> 6040aTiX <i>Detection Algorithm:</i> 09-16-23 <i>Auxiliary Hardware:</i> Herbert Tray 91280AS (P/N 34460688) <i>CONOPS:</i> 95595885 (2016/09/26)	C2	6/6/2017
Smiths Detection	HI-SCAN 6040aTiX	<i>Hardware:</i> 6040aTiX <i>Detection Algorithm:</i> 09-15-12 <i>Auxiliary Hardware:</i> Schoeller Allibert tray 2A021 (P/N 11112352) <i>CONOPS:</i> 95595885 (2016/09/26)	C1	6/6/2017

(EDSCB)

Manufacturer	Equipment		Standard <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>		
Smiths Detection	<b>HI-SCAN 6040aTiX</b>	<i>Hardware:</i> 6040aTiX <i>Detection Algorithm:</i> 09-15-13 <i>Auxiliary Hardware:</i> Schoeller Allibert tray 2A021 (P/N 11112352) <i>CONOPS:</i> 95595885 (2016/09/26)	<b>C1</b>	6/6/2017
Smiths Detection	<b>HI-SCAN 6040aTiX</b>	<i>Hardware:</i> 6040aTiX <i>Detection Algorithm:</i> 09-16-23 <i>Auxiliary Hardware:</i> Schoeller Allibert tray 2A021 (P/N 11112352) <i>CONOPS:</i> 95595885 (2016/09/26)	<b>C2</b>	6/6/2017
Smiths Detection	<b>HI-SCAN 6040-2is HR</b>	<i>Hardware:</i> 6040-2is HR <i>Detection Algorithm:</i> 09-15-17 <i>Auxiliary Hardware:</i> Herbert Tray 91280AS (P/N 34460688) <i>CONOPS:</i> 95595885 (2016/09/26)	<b>C1</b>	6/6/2017
Smiths Detection	<b>HI-SCAN 6040-2is HR</b>	<i>Hardware:</i> 6040-2is HR <i>Detection Algorithm:</i> 09-15-19 <i>Auxiliary Hardware:</i> Herbert Tray 91280AS (P/N 34460688) <i>CONOPS:</i> 95595885 (2016/09/26)	<b>C1</b>	6/6/2017
Smiths Detection	<b>HI-SCAN 6040-2is HR</b>	<i>Hardware:</i> 6040-2is HR <i>Detection Algorithm:</i> 09-15-17 <i>Auxiliary Hardware:</i> Schoeller Allibert tray 2A021 (P/N 11112352) <i>CONOPS:</i> 95595885 (2016/09/26)	<b>C1</b>	6/6/2017

(EDSCB)

Manufacturer	Equipment		Standard <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>		
Smiths Detection	<b>HI-SCAN 6040-2is HR</b>	<i>Hardware:</i> 6040-2is HR <i>Detection Algorithm:</i> 09-15-20 <i>Auxiliary Hardware:</i> Schoeller Allibert tray 2A021 (P/N 11112352) <i>CONOPS:</i> 95595885 (2016/09/26)	<b>C1</b>	6/6/2017
Smiths Detection	<b>HI-SCAN 7555aTiX</b>	<i>Hardware:</i> 7555aTiX <i>Detection Algorithm:</i> 09-15-14 <i>Auxiliary Hardware:</i> Herbert Tray 91280AS (P/N 34460688) <i>CONOPS:</i> 95595885 (2016/09/26)	<b>C1</b>	6/6/2017
Smiths Detection	<b>HI-SCAN 7555aTiX</b>	<i>Hardware:</i> 7555aTiX <i>Detection Algorithm:</i> 09-17-16 <i>Auxiliary Hardware:</i> Herbert Tray 91280AS (P/N 34460688) <i>CONOPS:</i> 95595885 (2016/09/26)	<b>C1</b>	6/6/2017
Smiths Detection	<b>HI-SCAN 7555aTiX</b>	<i>Hardware:</i> 7555aTiX <i>Detection Algorithm:</i> 09-17-26 <i>Auxiliary Hardware:</i> Herbert Tray 91280AS (P/N 34460688) <i>CONOPS:</i> 95595885 (2016/09/26)	<b>C2</b>	6/6/2017
Smiths Detection	<b>HI-SCAN 7555aTiX</b>	<i>Hardware:</i> 7555aTiX <i>Detection Algorithm:</i> 09-15-14 <i>Auxiliary Hardware:</i> Schoeller Allibert tray 2A021 (P/N 11112352) <i>CONOPS:</i> 95595885 (2016/09/26)	<b>C1</b>	6/6/2017

Manufacturer	Equipment		Standard <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>		
Smiths Detection	<b>HI-SCAN 7555aTiX</b>	<i>Hardware:</i> 7555aTiX <i>Detection Algorithm:</i> 09-15-16 <i>Auxiliary Hardware:</i> Schoeller Allibert tray 2A021 (P/N 11112352) <i>CONOPS:</i> 95595885 (2016/09/26)	<b>C1</b>	6/6/2017
Smiths Detection	<b>HI-SCAN 7555aTiX</b>	<i>Hardware:</i> 7555aTiX <i>Detection Algorithm:</i> 09-16-26 <i>Auxiliary Hardware:</i> Schoeller Allibert tray 2A021 (P/N 11112352) <i>CONOPS:</i> 95595885 (2016/09/26)	<b>C2</b>	6/6/2017
Smiths Detection	<b>HI-SCAN 6040aTiX</b>	<i>Hardware:</i> 6040aTiX <i>Detection Algorithm:</i> 09-16-23 <i>Auxiliary Hardware:</i> Smiths Detection Tray (P/N 34486990) <i>CONOPS:</i> 95595885 (2016/09/26)	<b>C2</b>	20/9/2017
Smiths Detection	<b>HI-SCAN 6040-2is HR</b>	<i>Hardware:</i> 6040-2is HR <i>Detection Algorithm:</i> 09-15-20 <i>Auxiliary Hardware:</i> Smiths Detection Tray (P/N 34486990) <i>CONOPS:</i> 95595885 (2016/09/26)	<b>C1</b>	20/9/2017
Smiths Detection (Previously: Morpho Detection)	<b>XDi</b>	<i>Hardware:</i> XDi <i>Detection Algorithm:</i> XDi-CBS-C-v1.0 <i>Auxiliary Hardware:</i> MacDonald Humfrey Tray (P/N 34460689) <i>CONOPS:</i> 2.13	<b>C1</b>	6/6/2017 *26/10/2018  *Correction of entry



Manufacturer	Equipment		Standard <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>		
Smiths Detection	<b>HI-SCAN 6040 CTiX</b>	<i>Hardware:</i> 6040 CTiX <i>Detection Algorithm:</i> 20-10-00 <i>Auxiliary Hardware:</i> MacDonald Humfrey tray (P/N 34460689) <i>CONOPS:</i> 95596016 (2017/09/26)	<b>C2</b>	23/3/2018
Smiths Detection	<b>HI-SCAN 6040aTiX</b>	<i>Hardware:</i> 6040aTiX <i>Detection Algorithm:</i> 09-18-13 <i>Auxiliary Hardware:</i> MacDonald Humfrey tray (P/N 34460689) <i>CONOPS:</i> 95595885 (2016/09/26)	<b>C1</b>	23/3/2018
Smiths Detection	<b>HI-SCAN 6040aTiX</b>	<i>Hardware:</i> 6040aTiX <i>Detection Algorithm:</i> 09-18-24 <i>Auxiliary Hardware:</i> MacDonald Humfrey tray (P/N 34460689) <i>CONOPS:</i> 95595885 (2016/09/26)	<b>C2</b>	23/3/2018
Smiths Detection	<b>HI-SCAN 6040 CTiX</b>	<i>Hardware:</i> 6040 CTiX <i>Detection Algorithm:</i> 20-14-00 <i>Auxiliary Hardware:</i> Scarabee tray (P/N SSL01_XA003_NH) <i>CONOPS:</i> 95596016 (2017/09/26)	<b>C2</b>	28/5/2018
Smiths Detection	<b>HI-SCAN 6040 CTiX</b>	<i>Hardware:</i> 6040 CTiX <i>Detection Algorithm:</i> 20-20-00 <i>Auxiliary Hardware:</i> Scarabee tray (P/N SSL01_XA003_NH) <i>CONOPS:</i> 95596016 (2017/09/26)	<b>C2</b>	28/5/2018

Manufacturer	Equipment		Standard <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>		
Smiths Detection	<b>HI-SCAN 6040 CTiX</b>	<i>Hardware:</i> 6040 CTiX <i>Detection Algorithm:</i> 20-20-00 <i>Auxiliary Hardware:</i> MacDonald Humfrey tray (P/N 34460689) <i>CONOPS:</i> 95596016 (2017/09/26)	<b>C2</b>	28/5/2018
Smiths Detection	<b>HI-SCAN 6040 CTiX</b>	<i>Hardware:</i> 6040 CTiX <i>Detection Algorithm:</i> 20-14-00 <i>Auxiliary Hardware:</i> Smiths Detection tray (P/N 34486990) <i>CONOPS:</i> 95596016 (2017/09/26)	<b>C2</b>	28/5/2018
Smiths Detection	<b>HI-SCAN 6040 CTiX</b>	<i>Hardware:</i> 6040 CTiX <i>Detection Algorithm:</i> 20-20-00 <i>Auxiliary Hardware:</i> Smiths Detection tray (P/N 34486990) <i>CONOPS:</i> 95596016 (2017/09/26)	<b>C2</b>	28/5/2018
Smiths Detection	<b>HI-SCAN 6040 CTiX</b>	<i>Hardware:</i> 6040 CTiX <i>Detection Algorithm:</i> 20-27-00 <i>Auxiliary Hardware:</i> MacDonald Humfrey tray (P/N 34460689) <i>CONOPS:</i> 95596016 (2017/09/26)	<b>C3</b>	19/10/2018
Smiths Detection	<b>HI-SCAN 6040 CTiX</b>	<i>Hardware:</i> 6040 CTiX <i>Detection Algorithm:</i> 20-27-00 <i>Auxiliary Hardware:</i> Smiths Detection tray (P/N 34486990) <i>CONOPS:</i> 95596016 (2017/09/26)	<b>C3</b>	19/10/2018

Manufacturer	Equipment		Standard <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>		
Smiths Detection	<b>HI-SCAN 6040aTiX</b>	<i>Hardware:</i> 6040aTiX <i>Detection Algorithm:</i> 09-19-23 <i>Auxiliary Hardware:</i> Vanderlande Scannojet tray (P/N 10128 / 095527-727) <i>CONOPS:</i> 95596016	<b>C1</b>	19/10/2018
Smiths Detection	<b>HI-SCAN 6040aTiX</b>	<i>Hardware:</i> 6040aTiX <i>Detection Algorithm:</i> 09-15-13 <i>Auxiliary Hardware:</i> Smiths Detection tray (P/N 34486990) <i>CONOPS:</i> 95595885 (2016/09/26)	<b>C1</b>	20/12/2018
Smiths Detection	<b>HI-SCAN 6040 CTiX</b>	<i>Hardware:</i> 6040 CTiX <i>Detection Algorithm:</i> 20-31-00 <i>Auxiliary Hardware:</i> Scarabee tray (P/N SSL01_XA003_NH) <i>CONOPS:</i> 95596016 Rev. 1 (2017/09/26)	<b>C2</b>	20/12/2018
Smiths Detection	<b>HI-SCAN 6040 CTiX</b>	<i>Hardware:</i> 6040 CTiX <i>Detection Algorithm:</i> 20-31-00 <i>Auxiliary Hardware:</i> MacDonald Humfrey tray (P/N 34460689) <i>CONOPS:</i> 95596016 Rev. 1 (2017/09/26)	<b>C2</b>	20/12/2018
Smiths Detection	<b>HI-SCAN 6040 CTiX</b>	<i>Hardware:</i> 6040 CTiX <i>Detection Algorithm:</i> 20-31-00 <i>Auxiliary Hardware:</i> Smiths Detection tray (P/N 34486990) <i>CONOPS:</i> 95596016 Rev. 1 (2017/09/26)	<b>C2</b>	20/12/2018

(EDSCB)

Manufacturer	Equipment		Standard <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>		
Smiths Detection	<b>HI-SCAN 6040CTiX</b>	<i>Hardware:</i> 6040CTiX <i>Detection Algorithm:</i> 20-36-00 <i>Auxiliary Hardware:</i> Smiths (P/N 34486990) Mac Donald Humfrey (P/N34460689) Scarabee (P/N SSL01_XA003_NH) <i>CONOPS:</i> 95596016	<b>C3</b>	29/11/2019
Smiths Detection	<b>HI-SCAN 6040CTiX</b>	<i>Hardware:</i> 6040CTiX <i>Detection Algorithm:</i> 20-41-00 <i>Auxiliary Hardware:</i> Smiths (P/N 34486990) Mac Donald Humfrey (P/N34460689) Scarabee (P/N SSL01_XA003_NH) <i>CONOPS:</i> 95596016	<b>C3</b>	29/11/2019
Smiths Detection	<b>HI-SCAN 6040CTiX</b>	<i>Hardware:</i> 6040CTiX <i>Detection Algorithm:</i> 20-30-00 <i>Auxiliary Hardware:</i> Smiths Detection tray 2 (P/N 34482148) Vanderlande (P10128 / 095527-727) <i>CONOPS:</i> 95596016	<b>C2 and C3</b>	05/09/2019



Manufacturer	Equipment		Standard <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>		
Smiths Detection	<b>HI-SCAN 6040 CTiX</b>	<i>Hardware:</i> 6040 CTiX <i>Detection Algorithm:</i> 20-30-00 <i>Auxiliary Hardware:</i> Scarabee tray (P/N SSL01_XA003_NH) <i>CONOPS:</i> 95596016 Rev. 1 (2017/09/26)	<b>C3</b>	20/12/2018
Smiths Detection	<b>HI-SCAN 6040 CTiX</b>	<i>Hardware:</i> 6040 CTiX <i>Detection Algorithm:</i> 20-30-00 <i>Auxiliary Hardware:</i> MacDonald Humfrey tray (P/N 34460689) <i>CONOPS:</i> 95596016 Rev. 1 (2017/09/26)	<b>C3</b>	20/12/2018
Smiths Detection	<b>HI-SCAN 6040 CTiX</b>	<i>Hardware:</i> 6040 CTiX <i>Detection Algorithm:</i> 20-30-00 <i>Auxiliary Hardware:</i> Smiths Detection tray (P/N 34486990) <i>CONOPS:</i> 95596016 Rev. 1 (2017/09/26)	<b>C3</b>	20/12/2018
Smiths Detection	<b>HI-SCAN 6040-2is HR</b>	<i>Hardware:</i> 6040-2is HR <i>Detection Algorithm:</i> 09-19-19 <i>Auxiliary Hardware:</i> Vanderlande tray (P/N P10128 / 095527-727) <i>CONOPS:</i> 95596016 (2017/09/26)	<b>C1</b>	20/12/2018
Smiths Detection	<b>HI-SCAN 6040aTiX</b>	<i>Hardware:</i> 6040aTiX <i>Detection Algorithm:</i> 09-70-23 <i>Auxiliary Hardware:</i> Vanderlande Scannojet tray (P/N P10128 / 095527-727) <i>CONOPS:</i> 95596016	<b>C2</b>	04/03/2019

**Notes:**

(<sup>1</sup>) Information on configuration is provided by the equipment manufacturer as part of the testing process.

(<sup>2</sup>) The Concept of Operations (CONOPS) applied for EDSCB equipment depends on the EDSCB Standard achieved:

**Standard C1:** Screening requires the divestment of electronics and liquids, aerosols and gels (LAGs).

**Standard C2:** Allows screening of baggage containing portable computers and other large electrical items.

**Standard C3:** Allows screening of baggage containing portable computers and other large electrical items and LAGs.

**Standard C4:** Same CONOPS as Standard C3.

Disclaimer: Listed EDSCB configurations had not been tested for hold baggage performance under the CEP

