


Manufacturer	Equipment		Standard	Type of operations <sup>(2)</sup>	Notification	
	Designation	Configuration <sup>(1)</sup>				
<b>L3 Technologies, Inc.</b>	<b>ProVision ATD (SC-100)</b>	<i>Detection hardware</i>	1600-20834-00	<b>1</b>	<b>A</b>	30/11/2012
		<i>System software</i>	EU3.7.51			
		<i>Detection software</i>	EU3.7.51			
		<i>CONOPS</i>	8500-10216-00			
<b>L3 Technologies, Inc.</b>	<b>ProVision ATD (SC-100)</b>	<i>Detection hardware</i>	1600-20834-00	<b>1</b>	<b>A</b>	30/11/2012
		<i>System software</i>	E3.11.11			
		<i>Detection software</i>	E3.11.11			
		<i>CONOPS</i>	8500-10216-00			
<b>L3 Technologies, Inc.</b>	<b>ProVision ATD (SC-100)</b>	<i>Detection hardware</i>	1600-20834-00; or 1600-21031-00	<b>1</b>	<b>A</b>	30/11/2012
		<i>System software</i>	E3.12.11			
		<i>Detection software</i>	E3.12.11			
		<i>CONOPS</i>	8500-10216-00			
<b>L3 Technologies, Inc.</b>	<b>ProVision 2 (PV-2)</b>	<i>Detection hardware</i>	1600-20982-00	<b>1</b>	<b>A</b>	10/05/2013
		<i>System software</i>	E3.12.32			
		<i>Detection software</i>	E3.12.32			
		<i>CONOPS</i>	8500-22184-00			

Manufacturer	Equipment		Standard	Type of operations ( <sup>2</sup> )	Notification	
	Designation	Configuration ( <sup>1</sup> )				
L3 Technologies, Inc.	ProVision 2 (PV-2)	Detection hardware	1600-20982-00	1	A	20/02/2014
		System software	SS4.1.35			
		Detection software	E3.40.16			
		CONOPS	8500-22184-00			
L3 Technologies, Inc.	ProVision 2 (PV-2)	Detection hardware	1600-20982-00	2	A	20/02/2014
		System software	SS2.1			
		Detection software	E4.10.19 E4.15.19			
		CONOPS	8500-22184-00			
L3 Technologies, Inc.	ProVision 2 (PV-2)	Detection hardware	1600-20982-00	1	A	04/12/2014
		System software	SS5.1.43			
		Detection software	E3.50.5 E3.55.4			
		CONOPS	8500-22184-00			
L3 Technologies, Inc.	ProVision 2 (PV-2)	Detection hardware	1600-20982-00	1	A	06/09/2016
		System software	SS5.1.43			
		Detection software	E3.70.50 E4.20.50 E4.25.50			
		CONOPS	8500-22184-00			
L3 Technologies, Inc.	ProVision 2 (PV-2)	Detection hardware	1600-20982-00	1	A	05/07/2017
		System software	SS8.1.50			
		Detection software (random switching)	E3.70.50 E4.20.50 E4.25.50			
		CONOPS	8500-22184-00			

Manufacturer	Equipment		Standard	Type of operations ( <sup>2</sup> )	Notification	
	Designation	Configuration ( <sup>1</sup> )				
L3 Technologies, Inc.	ProVision 2 (PV-2)	Detection hardware	1600-20982-00	1	A	09/01/2018
		System software	SS5.1.43			
		Detection software	E4.40.50 E4.45.50 E4.50.50			
		CONOPS	8500-22184-00			
L3 Technologies, Inc.	ProVision 2 (PV-2)	Detection hardware	1600-20982-00	1	A	09/01/2018  (Configuration Change)
		System software	SS8.1.50			
		Detection software (random switching)	E3.50.5 E3.55.4			
		CONOPS	8500-22184-00			
L3 Technologies, Inc.	ProVision 2 (PV-2)	Detection hardware	1600-20982-00	2	A	31/05/2018
		System software	SS5.1.43			
		Detection software	E4.55.50			
		CONOPS	8500-22184-00			
L3 Technologies, Inc.	ProVision 2 (PV-2)	Detection hardware	1600-20982-00	1	A	31/05/2018
		System software	SS5.1.43			
		Detection software	E4.60.50			
		CONOPS	8500-22184-00			

Manufacturer	Equipment		Standard	Type of operations <sup>(2)</sup>	Notification	
	Designation	Configuration <sup>(1)</sup>				
L3 Technologies, Inc.	ProVision 2 (PV-2)	Detection hardware	1600-20982-00	2	A	02/10/2018  (Configuration Change)
		System software	SS8.1.50			
		Detection software (random switching)	E4.55.50			
		CONOPS	8500-22184-00			
L3 Technologies, Inc.	ProVision 2 (PV-2)	Detection hardware	1600-20982-00	1	A	02/10/2018  (Configuration Change)
		System software	SS8.1.50			
		Detection software (random switching)	E4.60.50			
		CONOPS	8500-22184-00			
L3 Technologies, Inc.	ProVision 2 (PV-2)	Detection hardware	1600-20982-00	1	A	11/12/2018
		System software	SS5.1.43			
		Detection software	E4.65.50			
		CONOPS	8500-22184-00			
L3 Technologies, Inc.	ProVision 2 (PV-2)	Detection hardware	1600-20982-00	1	A	11/12/2018
		System software	SS8.1.50			
		Detection software (random switching)	E4.65.50			
		CONOPS	8500-22184-00			
L3 Technologies, Inc.	ProVision 2 (PV-2)	Detection hardware	1600-20982-00	1	A	01/03/2019
		System software	SS5.1.43			
		Detection software (random switching)	E4.70.50			
		CONOPS	8500-22184-00			

Manufacturer	Equipment		Standard	Type of operations ( <sup>2</sup> )	Notification
	Designation	Configuration ( <sup>1</sup> )			
<b>L3 Technologies, Inc.</b>	<b>ProVision 2 (PV-2)</b>	<i>Detection hardware</i> 1600-20982-00	<b>1</b>	<b>A</b>	08/07/2019
		<i>System software</i> SS5.1.43			
		<i>Detection software</i> E4.85.50			
		<i>CONOPS</i> 8500-22184-00 Rev. A0			
<b>L3 Technologies, Inc.</b>	<b>ProVision 2 (PV-2)</b>	<i>Detection hardware</i> 1600-20982-00	<b>2</b>	<b>A</b>	08/07/2019
		<i>System software</i> SS5.1.43			
		<i>Detection software</i> E4.90.50			
		<i>CONOPS</i> 8500-22184-00 Rev. A0			
<b>L3 Technologies, Inc.</b>	<b>ProVision 2 (PV-2)</b>	<i>Detection hardware</i> 1600-20982-00	<b>2</b>	<b>A</b>	08/07/2019
		<i>System software</i> SS5.1.43			
		<i>Detection software</i> E4.95.50			
		<i>CONOPS</i> 8500-22184-00 Rev. A0			



Manufacturer	Equipment		Standard	Type of operations <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>			
Nuotech	MW1000AA	Detection hardware 1.0	1	A	29/11/2016
		System software 2.1.0.177			
		Detection software 2.1.0.2			
		CONOPS 1.6			
Nuotech	MW1000AA	Detection hardware 1.0	1	A	29/11/2016
		System software 2.1.0.177			
		Detection software 2.1.0.3			
		CONOPS 1.6			
Nuotech	MW1000AA	Detection hardware 1.0	2	A	29/11/2016
		System software 2.1.0.177			
		Detection software 2.1.0.5			
		CONOPS 1.6			
Nuotech	MW1000AA	Detection hardware 1.0	1	A	30/05/2017
		System software 2.1.0.177			
		Detection software 2.1.1.1			
		CONOPS 1.6			
Nuotech	MW1000AA	Detection hardware 1.0	1	A	30/05/2017
		System software 2.1.0.177			
		Detection software 3.0.0.2			
		CONOPS 1.6			

Manufacturer	Equipment		Standard	Type of operations ( <sup>2</sup> )	Notification
	Designation	Configuration ( <sup>1</sup> )			
Nuotech	MW1000AA	Detection hardware 1.0	1	A	02/10/2018
		System software 2.1.3.0			
		Detection software 3.3.0.4			
		CONOPS 1.9			
Nuotech	MW1000AA	Detection hardware 1.0	1	A	02/10/2018
		System software 2.1.3.0			
		Detection software 3.3.0.5			
		CONOPS 1.9			
Nuotech	MW1000AA	Detection hardware 1.0	2	A	08/07/2019
		System software 2.1.3.			
		Detection software 3.7.1			
		CONOPS 1.10			
Nuotech	MW1000AA	Detection hardware 1.0	1	A	08/07/2019
		System software 2.1.3			
		Detection software 3.4.1.5			
		CONOPS 1.9			

Manufacturer	Equipment		Standard	Type of operations ( <sup>2</sup> )	Notification
	Designation	Configuration ( <sup>1</sup> )			
Rohde & Schwarz	<b>R&amp;S®QPS100</b>	Detection hardware 1.20	<b>2</b>	<b>A</b>	30/01/2015
		System software 1.43			
		Detection software 1.43			
		CONOPS 1.40			
Rohde & Schwarz	<b>R&amp;S®QPS200</b>	Detection hardware 2.10	<b>2</b>	<b>A</b>	30/01/2015
		System software 2.12			
		Detection software 2.12			
		CONOPS 2.10			
Rohde & Schwarz	<b>R&amp;S®QPS100</b>	Detection hardware 1.20	<b>1</b>	<b>A</b>	27/07/2015
		System software 1.44			
		Detection software 1.44			
		CONOPS 1.40			
Rohde & Schwarz	<b>R&amp;S®QPS200</b>	Detection hardware 2.10	<b>1</b>	<b>A</b>	27/07/2015
		System software 2.14			
		Detection software 2.14			
		CONOPS 2.10			
Rohde & Schwarz	<b>R&amp;S®QPS100</b>	Detection hardware 1.20	<b>1</b>	<b>A</b>	18/09/2015  (Configuration Change)
		System software 1.42.2			
		Detection software 1.42			
		CONOPS 1.40			



Manufacturer	Equipment		Standard	Type of operations ( <sup>2</sup> )	Notification
	Designation	Configuration ( <sup>1</sup> )			
Rohde & Schwarz	<b>R&amp;S®QPS100</b>	Detection hardware 1.20	<b>2</b>	<b>A</b>	18/09/2015  (Configuration Change)
		System software 1.43.2			
		Detection software 1.43			
		CONOPS 1.40			
Rohde & Schwarz	<b>R&amp;S®QPS100</b>	Detection hardware 1.20	<b>1</b>	<b>A</b>	18/09/2015  (Configuration Change)
		System software 1.44.2			
		Detection software 1.44			
		CONOPS 1.40			
Rohde & Schwarz	<b>R&amp;S®QPS200</b>	Detection hardware 2.10	<b>2</b>	<b>A</b>	18/09/2015  (Configuration Change)
		System software 2.12.2			
		Detection software 2.12			
		CONOPS 2.10			
Rohde & Schwarz	<b>R&amp;S®QPS200</b>	Detection hardware 2.10	<b>1</b>	<b>A</b>	18/09/2015  (Configuration Change)
		System software 2.13.2			
		Detection software 2.13			
		CONOPS 2.10			
Rohde & Schwarz	<b>R&amp;S®QPS200</b>	Detection hardware 2.10	<b>1</b>	<b>A</b>	18/09/2015  (Configuration Change)
		System software 2.14.2			
		Detection software 2.14			
		CONOPS 2.10			

Manufacturer	Equipment		Standard	Type of operations ( <sup>2</sup> )	Notification
	Designation	Configuration ( <sup>1</sup> )			
Rohde & Schwarz	<b>R&amp;S®QPS200</b>	Detection hardware 2.10	<b>1</b>	<b>A</b>	17/06/2016
		System software 2.16			
		Detection software 2.16			
		CONOPS 2.10			
Rohde & Schwarz	<b>R&amp;S®QPS200</b>	Detection hardware 2.10	<b>1</b>	<b>A</b>	17/06/2016
		System software 2.17			
		Detection software 2.17			
		CONOPS 2.10			
Rohde & Schwarz	<b>R&amp;S®QPS200</b>	Detection hardware 2.10	<b>2</b>	<b>A</b>	07/03/2017  (Configuration Change)
		System software 2.61 / 2.61W			
		Detection software 2.61			
		CONOPS 2.10			
Rohde & Schwarz	<b>R&amp;S®QPS200</b>	Detection hardware 2.10	<b>2</b>	<b>A</b>	06/09/2016  (Configuration Change)
		System software 2.62 / 2.62W			
		Detection software 2.62			
		CONOPS 2.10			
Rohde & Schwarz	<b>R&amp;S®QPS100</b>	Detection hardware 1.20	<b>1</b>	<b>A</b>	07/03/2017
		System software 1.61 / 1.61 W			
		Detection software 1.61			
		CONOPS 1.40			

Manufacturer	Equipment		Standard	Type of operations <sup>(2)</sup>	Notification	
	Designation	Configuration <sup>(1)</sup>				
Rohde & Schwarz	<b>R&amp;S®QPS100</b>	Detection hardware	1.20	<b>2</b>	<b>A</b>	07/03/2017
		System software	1.62 / 1.62 W			
		Detection software	1.62			
		CONOPS	1.40			
Rohde & Schwarz	<b>R&amp;S®QPS200</b>	Detection hardware	2.10	<b>1</b>	<b>A</b>	07/03/2017
		System software	2.60 / 2.60 W			
		Detection software	2.60			
		CONOPS	2.10			
Rohde & Schwarz	<b>R&amp;S®QPS100</b>	Detection hardware	1.20	<b>1</b>	<b>A</b>	30/05/2017  (Configuration Change)
		System software	3.0.1 / 3.0.1W			
		Detection software	1.61			
		CONOPS	1.40			
Rohde & Schwarz	<b>R&amp;S®QPS100</b>	Detection hardware	1.20	<b>2</b>	<b>A</b>	30/05/2017  (Configuration Change)
		System software	3.0.1 / 3.0.1W			
		Detection software	1.62			
		CONOPS	1.40			
Rohde & Schwarz	<b>R&amp;S®QPS200</b>	Detection hardware	2.10	<b>1</b>	<b>A</b>	30/05/2017  (Configuration Change)
		System software	3.0.1 / 3.0.1W			
		Detection software	2.60			
		CONOPS	2.10			

Manufacturer	Equipment		Standard	Type of operations <sup>(2)</sup>	Notification	
	Designation	Configuration <sup>(1)</sup>				
Rohde & Schwarz	R&S®QPS200	Detection hardware	2.10	2	A	30/05/2017  (Configuration Change)
		System software	3.0.1 / 3.0.1W			
		Detection software	2.61			
		CONOPS	2.10			
Rohde & Schwarz	R&S®QPS200	Detection hardware	2.10	2	A	30/05/2017  (Configuration Change)
		System software	3.0.1 / 3.0.1W			
		Detection software	2.62			
		CONOPS	2.10			
Rohde & Schwarz	R&S®QPS201	Detection hardware	3.10	2	A	19/09/2017
		System software	3.11			
		Detection software	3.11			
		CONOPS	3.00			
Rohde & Schwarz	R&S®QPS201	Detection hardware	3.30	2	A	19/09/2017
		System software	3.31			
		Detection software	3.31			
		CONOPS	3.00			
Rohde & Schwarz	R&S®QPS201	Detection hardware	3.30	2	A	19/09/2017
		System software	3.32			
		Detection software	3.32			
		CONOPS	3.00			

Manufacturer	Equipment		Standard	Type of operations <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>			
Rohde & Schwarz	<b>R&amp;S®QPS201</b>	Detection hardware 3.30	<b>1</b>	<b>A</b>	19/09/2017
		System software 3.30			
		Detection software 3.30			
		CONOPS 3.00			
Rohde & Schwarz	<b>R&amp;S®QPS100</b>	Detection hardware 1.20	<b>1</b>	<b>A</b>	15/03/2018  (Configuration Change)
		System software 3.0.2 / 3.0.2W			
		Detection software 1.61			
		CONOPS 1.40			
Rohde & Schwarz	<b>R&amp;S®QPS100</b>	Detection hardware 1.20	<b>2</b>	<b>A</b>	15/03/2018  (Configuration Change)
		System software 3.0.2 / 3.0.2W			
		Detection software 1.62			
		CONOPS 1.40			
Rohde & Schwarz	<b>R&amp;S®QPS200</b>	Detection hardware 2.10	<b>1</b>	<b>A</b>	15/03/2018  (Configuration Change)
		System software 3.0.2 / 3.0.2W			
		Detection software 2.60			
		CONOPS 2.10			

Manufacturer	Equipment		Standard	Type of operations <sup>(2)</sup>	Notification	
	Designation	Configuration <sup>(1)</sup>				
Rohde & Schwarz	R&S®QPS200	Detection hardware	2.10	2	A	15/03/2018  (Configuration Change)
		System software	3.0.2 / 3.0.2W			
		Detection software	2.61			
		CONOPS	2.10			
Rohde & Schwarz	R&S®QPS200	Detection hardware	2.10	2	A	15/03/2018  (Configuration Change)
		System software	3.0.2 / 3.0.2W			
		Detection software	2.62			
		CONOPS	2.10			
Rohde & Schwarz	R&S®QPS201	Detection hardware	3.30	1	A	15/03/2018  (Configuration Change)
		System software	3.0.2 / 3.0.2W			
		Detection software	3.30			
		CONOPS	3.00			
Rohde & Schwarz	R&S®QPS201	Detection hardware	3.30	2	A	15/03/2018  (Configuration Change)
		System software	3.0.2 / 3.0.2W			
		Detection software	3.32			
		CONOPS	3.00			
Rohde & Schwarz	R&S®QPS201	Detection hardware	3.30	1	A	31/05/2018
		System software	3.34			
		Detection software	3.34			
		CONOPS	3.00			

Manufacturer	Equipment		Standard	Type of operations ( <sup>2</sup> )	Notification
	Designation	Configuration ( <sup>1</sup> )			
Rohde & Schwarz	R&S®QPS201	Detection hardware 3.30	1	A	31/05/2018
		System software 3.35			
		Detection software 3.35			
		CONOPS 3.00			
Rohde & Schwarz	R&S®QPS201	Detection hardware 3.30	2	A	31/05/2018
		System software 3.36			
		Detection software 3.36			
		CONOPS 3.00			
Rohde & Schwarz	R&S®QPS201	Detection hardware 3.30	2	A	01/03/2019
		System software 3.40			
		Detection software 3.40			
		CONOPS 3.00			
Rohde & Schwarz	R&S®QPS201	Detection hardware 3.30	2	A	01/03/2019
		System software 3.42			
		Detection software 3.42			
		CONOPS 3.00			
Rohde & Schwarz	R&S®QPS201	Detection hardware 3.30	2	A	01/03/2019
		System software 3.44			
		Detection software 3.44			
		CONOPS 3.00			

Manufacturer	Equipment		Standard	Type of operations <sup>(2)</sup>	Notification
	Designation	Configuration <sup>(1)</sup>			
Smiths Detection	eqo	<i>Configuration document</i> Z7115020 Version 2.0 <i>System software</i> BI-01-08-F-000-00 <i>Detection software</i> 001-085 <i>CONOPS</i> V1.7	2	A	10/05/2013
Smiths Detection	eqo	<i>Configuration document</i> Z7115022 Version 1.0 <i>System software</i> BI-01-08-F-000-00 <i>Detection software</i> 001-082 <i>CONOPS</i> V1.7	2	A	10/05/2013
Smiths Detection	eqo	<i>Configuration document</i> Z7115023 Version 1.0 <i>System software</i> BI-01-08-F-000-00 <i>Detection software</i> 001-084 <i>CONOPS</i> V1.7	2	A	10/05/2013
Smiths Detection	eqo	<i>System hardware</i> 11129800 <i>System software</i> BI-01-09-H-000-00 BI-01-09-H-245-00 BI-01-09-L-000-03 BI-01-09-G-000-05 <i>Detection software</i> 001-112 <i>CONOPS</i> V1.7	2	A	30/01/2015  17/01/2019 (Configuration Change)



Manufacturer	Equipment		Standard	Type of operations ( <sup>2</sup> )	Notification
	Designation	Configuration ( <sup>1</sup> )			
Smiths Detection	eqo	<i>System software</i> BI-01-09-G-000-04 BI-01-09-G-245-04 <i>Detection software</i> 001-115 <i>CONOPS</i> V1.7	1	A	07/03/2017
Smiths Detection	eqo	<i>System software</i> BI-01-09-G-000-04 BI-01-09-G-245-04 <i>Detection software</i> 001-116 <i>CONOPS</i> V1.7	1	A	07/03/2017

**Notes:**

(<sup>1</sup>) Information on configuration was provided by the equipment manufacturer as part of the testing process.

(<sup>2</sup>) On the basis of the Concept of Operations (CONOPS) of the tested security scanner, provided by the manufacturer, the security scanner performance was tested for a given type of operations:

**Type A:** Security scanner with automatic threat detection and indication of the location of detected objects on a stick figure.

**Type B:** Security scanner with a human reviewer to analyse the image and to indicate the location of detected objects.