

| Manufacturer | Equipment | | Standard | Type ⁽⁴⁾ | Notification | |
|--|--------------------------------|------------------------------|--------------------------------------|--|--------------|---|
| | Designation | Configuration ⁽²⁾ | | | | |
| Leidos (previously: L3 Technologies, Inc.) | ProVision ATD (SC-100)* | Detection hardware | 1600-20834-00 | 1 ⁽³⁾ (ECAC/EU expired) | A | 30/11/2012 18/11/2021* *Correction of entry |
| | | System software | EU3.7.51 | | | |
| | | Detection software | EU3.7.51 | | | |
| | | CONOPS | 8500-10216-00 | | | |
| Leidos (previously: L3 Technologies, Inc.) | ProVision ATD (SC-100)* | Detection hardware | 1600-20834-00 | 1 ⁽³⁾ (ECAC/EU expired) | A | 30/11/2012 18/11/2021* *Correction of entry |
| | | System software | E3.11.11 | | | |
| | | Detection software | E3.11.11 | | | |
| | | CONOPS | 8500-10216-00 | | | |
| Leidos (previously: L3 Technologies, Inc.) | ProVision ATD (SC-100)* | Detection hardware | 1600-20834-00 or 1600-21031-00 | 1 ⁽³⁾ (ECAC/EU expired) | A | 30/11/2012 18/11/2021* *Correction of entry |
| | | System software | E3.12.11 | | | |
| | | Detection software | E3.12.11 | | | |
| | | CONOPS | 8500-10216-00 | | | |
| Leidos (previously: L3 Technologies, Inc.) | ProVision 2 (PV-2) | Detection hardware | 1600-20982-00 | 1 ⁽³⁾ (ECAC/EU expired) | A | 10/05/2013 |
| | | System software | E3.12.32 | | | |
| | | Detection software | E3.12.32 | | | |
| | | CONOPS | 8500-22184-00 | | | |

| Manufacturer | Equipment | | Standard | Type ⁽⁴⁾ | Notification | |
|--|---------------------------|---------------------------------------|----------------------------------|--|--------------|---|
| | Designation | Configuration ⁽²⁾ | | | | |
| Leidos (previously: L3 Technologies, Inc.) | ProVision 2 (PV-2) | Detection hardware | 1600-20982-00 | 1 ⁽³⁾ (ECAC/EU expired) | A | 20/02/2014 |
| | | System software | SS4.1.35 | | | |
| | | Detection software | E3.40.16 | | | |
| | | CONOPS | 8500-22184-00 | | | |
| Leidos (previously: L3 Technologies, Inc.) | ProVision 2 (PV-2) | Detection hardware | 1600-20982-00 | 1 ⁽³⁾ (ECAC/EU expired) | A | 04/12/2014 |
| | | System software | SS5.1.43 | | | |
| | | Detection software | E3.50.5 E3.55.4 | | | |
| | | CONOPS | 8500-22184-00 | | | |
| Leidos (previously: L3 Technologies, Inc.) | ProVision 2 (PV-2) | Detection hardware | 1600-20982-00 | 1 ⁽³⁾ (ECAC/EU expired) | A | 06/09/2016 (updated on 09/01/2020) |
| | | System software | SS5.1.43 SS8.1.50 | | | |
| | | Detection software | E3.70.50 E4.20.50 E4.25.50 | | | |
| | | CONOPS | 8500-22184-00 | | | |
| Leidos (previously: L3 Technologies, Inc.) | ProVision 2 (PV-2) | Detection hardware | 1600-20982-00 | 1 ⁽³⁾ (ECAC/EU expired) | A | 05/07/2017 |
| | | System software | SS8.1.50 | | | |
| | | Detection software (random switching) | E3.70.50 E4.20.50 E4.25.50 | | | |
| | | CONOPS | 8500-22184-00 | | | |

| Manufacturer | Equipment | | Standard | Type ⁽⁴⁾ | Notification | |
|--|---------------------------|---------------------------------------|---------------|--|--------------|--------------------------------------|
| | Designation | Configuration ⁽²⁾ | | | | |
| Leidos (previously: L3 Technologies, Inc.) | ProVision 2 (PV-2) | Detection hardware | 1600-20982-00 | 1 ⁽³⁾ (ECAC/EU expired) | A | 09/01/2018 |
| | | System software | SS5.1.43 | | | |
| | | Detection software | SS8.1.50 | | | |
| | | | E4.40.50 | | | |
| | | | E4.45.50 | | | |
| | E4.50.50 | | | | | |
| | CONOPS | 8500-22184-00 | | | | |
| Leidos (previously: L3 Technologies, Inc.) | ProVision 2 (PV-2) | Detection hardware | 1600-20982-00 | 1 ⁽³⁾ (ECAC/EU expired) | A | 09/01/2018 (Configuration Change) |
| | | System software | SS8.1.50 | | | |
| | | Detection software (random switching) | E3.50.5 | | | |
| | | | E3.55.4 | | | |
| | | | CONOPS | | | |
| Leidos (previously: L3 Technologies, Inc.) | ProVision 2 (PV-2) | Detection hardware | 1600-20982-00 | 1 ⁽³⁾ (ECAC/EU expired) | A | 31/05/2018 |
| | | System software | SS5.1.43 | | | |
| | | Detection software | SS8.1.50 | | | |
| | | | E4.60.50 | | | |
| | | | CONOPS | | | |
| Leidos (previously: L3 Technologies, Inc.) | ProVision 2 (PV-2) | Detection hardware | 1600-20982-00 | 1 ⁽³⁾ (ECAC/EU expired) | A | 02/10/2018 (Configuration Change) |
| | | System software | SS5.1.43 | | | |
| | | Detection software (random switching) | SS8.1.50 | | | |
| | | | E4.60.50 | | | |
| | | | CONOPS | | | |

| Manufacturer | Equipment | | Standard | Type ⁽⁴⁾ | Notification | |
|--|---------------------------|---------------------------------------|--------------------------|--|--------------|---------------------------------------|
| | Designation | Configuration ⁽²⁾ | | | | |
| Leidos (previously: L3 Technologies, Inc.) | ProVision 2 (PV-2) | Detection hardware | 1600-20982-00 | 1 ⁽³⁾ (ECAC/EU expired) | A | 11/12/2018 (updated on 09/01/2020) |
| | | System software | SS5.1.43 SS8.1.50 | | | |
| | | Detection software | E4.65.50 | | | |
| | | CONOPS | 8500-22184-00 | | | |
| Leidos (previously: L3 Technologies, Inc.) | ProVision 2 (PV-2) | Detection hardware | 1600-20982-00 | 1 ⁽³⁾ (ECAC/EU expired) | A | 11/12/2018 |
| | | System software | SS5.1.43 SS8.1.50 | | | |
| | | Detection software (random switching) | E4.65.50 | | | |
| | | CONOPS | 8500-22184-00 | | | |
| Leidos (previously: L3 Technologies, Inc.) | ProVision 2 (PV-2) | Detection hardware | 1600-20982-00 | 1 ⁽³⁾ (ECAC/EU expired) | A | 01/03/2019 (updated on 09/01/2020) |
| | | System software | SS5.1.43 SS8.1.50 | | | |
| | | Detection software (random switching) | E4.70.50 | | | |
| | | CONOPS | 8500-22184-00 | | | |
| Leidos (previously: L3 Technologies, Inc.) | ProVision 2 (PV-2) | Detection hardware | 1600-20982-00 | 1 ⁽³⁾ (ECAC/EU expired) | A | 08/07/2019 (updated on 30/08/2019) |
| | | System software | SS5.1.43 SS8.1.50 | | | |
| | | Detection software | E4.85.50 | | | |
| | | CONOPS | 8500-22184-00 Rev. A0 | | | |

| Manufacturer | Equipment | | Standard | Type ⁽⁴⁾ | Notification | |
|---|--|------------------------------|--------------------------|--|--------------|------------|
| | Designation | Configuration ⁽²⁾ | | | | |
| Leidos (previously: L3 Technologies, Inc.) | ProVision 2 (PV-2) | Detection hardware | 1600-20982-00 | 1⁽³⁾ (ECAC/EU expired) | A | 14/01/2020 |
| | | System software | SS5.1.43 | | | |
| | | Detection software | SS8.1.50 | | | |
| | | CONOPS | E4.100.50 | | | |
| | | | 8500-22184-00 Rev. A0 | | | |

| Manufacturer | Equipment | | Standard | Type ⁽⁴⁾ | Notification | |
|--------------|-------------|------------------------------|-----------|---------------------------------------|--------------|------------|
| | Designation | Configuration ⁽²⁾ | | | | |
| Nuctech | MW1000AA | Detection hardware | 1.0 | 1 ⁽³⁾ (ECAC/EU expired) | A | 29/11/2016 |
| | | System software | 2.1.0.177 | | | |
| | | Detection software | 2.1.0.2 | | | |
| | | CONOPS | 1.6 | | | |
| Nuctech | MW1000AA | Detection hardware | 1.0 | 1 ⁽³⁾ (ECAC/EU expired) | A | 29/11/2016 |
| | | System software | 2.1.0.177 | | | |
| | | Detection software | 2.1.0.3 | | | |
| | | CONOPS | 1.6 | | | |
| Nuctech | MW1000AA | Detection hardware | 1.0 | 1 ⁽³⁾ (ECAC/EU expired) | A | 30/05/2017 |
| | | System software | 2.1.0.177 | | | |
| | | Detection software | 2.1.1.1 | | | |
| | | CONOPS | 1.6 | | | |
| Nuctech | MW1000AA | Detection hardware | 1.0 | 1 ⁽³⁾ (ECAC/EU expired) | A | 30/05/2017 |
| | | System software | 2.1.0.177 | | | |
| | | Detection software | 3.0.0.2 | | | |
| | | CONOPS | 1.6 | | | |
| Nuctech | MW1000AA | Detection hardware | 1.0 | 1 ⁽³⁾ (ECAC/EU expired) | A | 02/10/2018 |
| | | System software | 2.1.3.0 | | | |
| | | Detection software | 3.3.0.4 | | | |
| | | CONOPS | 1.9 | | | |

| Manufacturer | Equipment | | Standard | Type ⁽⁴⁾ | Notification | |
|--------------|-------------|------------------------------|----------|---------------------------------------|--------------|------------|
| | Designation | Configuration ⁽²⁾ | | | | |
| Nuotech | MW1000AA | Detection hardware | 1.0 | 1 ⁽³⁾ (ECAC/EU expired) | A | 02/10/2018 |
| | | System software | 2.1.3.0 | | | |
| | | Detection software | 3.3.0.5 | | | |
| | | CONOPS | 1.9 | | | |
| Nuotech | MW1000AA | Detection hardware | 1.0 | 1 ⁽³⁾ (ECAC/EU expired) | A | 08/07/2019 |
| | | System software | 2.1.3 | | | |
| | | Detection software | 3.4.1.5 | | | |
| | | CONOPS | 1.9 | | | |

| Manufacturer | Equipment | | Standard | Type ⁽⁴⁾ | Notification | |
|-----------------|-------------|------------------------------|----------|---------------------------------------|--------------|--------------------------------------|
| | Designation | Configuration ⁽²⁾ | | | | |
| Rohde & Schwarz | R&S®QPS100 | Detection hardware | 1.20 | 1 ⁽³⁾ (ECAC/EU expired) | A | 27/07/2015 |
| | | System software | 1.44 | | | |
| | | Detection software | 1.44 | | | |
| | | CONOPS | 1.40 | | | |
| Rohde & Schwarz | R&S®QPS200 | Detection hardware | 2.10 | 1 ⁽³⁾ (ECAC/EU expired) | A | 27/07/2015 |
| | | System software | 2.14 | | | |
| | | Detection software | 2.14 | | | |
| | | CONOPS | 2.10 | | | |
| Rohde & Schwarz | R&S®QPS100 | Detection hardware | 1.20 | 1 ⁽³⁾ (ECAC/EU expired) | A | 18/09/2015 (Configuration Change) |
| | | System software | 1.42.2 | | | |
| | | Detection software | 1.42 | | | |
| | | CONOPS | 1.40 | | | |
| Rohde & Schwarz | R&S®QPS100 | Detection hardware | 1.20 | 1 ⁽³⁾ (ECAC/EU expired) | A | 18/09/2015 (Configuration Change) |
| | | System software | 1.44.2 | | | |
| | | Detection software | 1.44 | | | |
| | | CONOPS | 1.40 | | | |
| Rohde & Schwarz | R&S®QPS200 | Detection hardware | 2.10 | 1 ⁽³⁾ (ECAC/EU expired) | A | 18/09/2015 (Configuration Change) |
| | | System software | 2.13.2 | | | |
| | | Detection software | 2.13 | | | |
| | | CONOPS | 2.10 | | | |

| Manufacturer | Equipment | | Standard | Type ⁽⁴⁾ | Notification | |
|-----------------|-------------|------------------------------|---------------|---------------------------------------|--------------|--|
| | Designation | Configuration ⁽²⁾ | | | | |
| Rohde & Schwarz | R&S®QPS200 | Detection hardware | 2.10 | 1 ⁽³⁾ (ECAC/EU expired) | A | 18/09/2015 (Configuration Change) |
| | | System software | 2.14.2 | | | |
| | | Detection software | 2.14 | | | |
| | | CONOPS | 2.10 | | | |
| Rohde & Schwarz | R&S®QPS200 | Detection hardware | 2.10 | 1 ⁽³⁾ (ECAC/EU expired) | A | 17/06/2016 |
| | | System software | 2.16 | | | |
| | | Detection software | 2.16 | | | |
| | | CONOPS | 2.10 | | | |
| Rohde & Schwarz | R&S®QPS200 | Detection hardware | 2.10 | 1 ⁽³⁾ (ECAC/EU expired) | A | 17/06/2016 |
| | | System software | 2.17 | | | |
| | | Detection software | 2.17 | | | |
| | | CONOPS | 2.10 | | | |
| Rohde & Schwarz | R&S®QPS100 | Detection hardware | 1.20 | 1 ⁽³⁾ (ECAC/EU expired) | A | 07/03/2017 |
| | | System software | 1.61 / 1.61 W | | | |
| | | Detection software | 1.61 | | | |
| | | CONOPS | 1.40 | | | |
| Rohde & Schwarz | R&S®QPS200 | Detection hardware | 2.10 | 1 ⁽³⁾ (ECAC/EU expired) | A | 07/03/2017 |
| | | System software | 2.60 / 2.60 W | | | |
| | | Detection software | 2.60 | | | |
| | | CONOPS | 2.10 | | | |

| Manufacturer | Equipment | | Standard | Type ⁽⁴⁾ | Notification | |
|-----------------|-------------|------------------------------|----------------|---------------------------------------|--------------|--|
| | Designation | Configuration ⁽²⁾ | | | | |
| Rohde & Schwarz | R&S®QPS100 | Detection hardware | 1.20 | 1 ⁽³⁾ (ECAC/EU expired) | A | 30/05/2017 (Configuration Change) |
| | | System software | 3.0.1 / 3.0.1W | | | |
| | | Detection software | 1.61 | | | |
| | | CONOPS | 1.40 | | | |
| Rohde & Schwarz | R&S®QPS200 | Detection hardware | 2.10 | 1 ⁽³⁾ (ECAC/EU expired) | A | 30/05/2017 (Configuration Change) |
| | | System software | 3.0.1 / 3.0.1W | | | |
| | | Detection software | 2.60 | | | |
| | | CONOPS | 2.10 | | | |
| Rohde & Schwarz | R&S®QPS201 | Detection hardware | 3.30 | 1 ⁽³⁾ (ECAC/EU expired) | A | 19/09/2017 |
| | | System software | 3.30 | | | |
| | | Detection software | 3.30 | | | |
| | | CONOPS | 3.00 | | | |
| Rohde & Schwarz | R&S®QPS100 | Detection hardware | 1.20 | 1 ⁽³⁾ (ECAC/EU expired) | A | 15/03/2018 (Configuration Change) |
| | | System software | 3.0.2 / 3.0.2W | | | |
| | | Detection software | 1.61 | | | |
| | | CONOPS | 1.40 | | | |
| Rohde & Schwarz | R&S®QPS200 | Detection hardware | 2.10 | 1 ⁽³⁾ (ECAC/EU expired) | A | 15/03/2018 (Configuration Change) |
| | | System software | 3.0.2 / 3.0.2W | | | |
| | | Detection software | 2.60 | | | |
| | | CONOPS | 2.10 | | | |

| Manufacturer | Equipment | | Standard | Type ⁽⁴⁾ | Notification | |
|-----------------|--------------|------------------------------|------------------|---------------------------------------|--------------|--|
| | Designation | Configuration ⁽²⁾ | | | | |
| Rohde & Schwarz | R&S®QPS201 | Detection hardware | 3.30 | 1 ⁽³⁾ (ECAC/EU expired) | A | 15/03/2018 (Configuration Change) |
| | | System software | 3.0.2 / 3.0.2W | | | |
| | | Detection software | 3.30 | | | |
| | | CONOPS | 3.00 | | | |
| Rohde & Schwarz | R&S®QPS201 | Detection hardware | 3.30 | 1 ⁽³⁾ (ECAC/EU expired) | A | 31/05/2018 |
| | | System software | 3.34 | | | |
| | | Detection software | 3.34 | | | |
| | | CONOPS | 3.00 | | | |
| Rohde & Schwarz | R&S®QPS201 | Detection hardware | 3.30 | 1 ⁽³⁾ (ECAC/EU expired) | A | 31/05/2018 |
| | | System software | 3.35 | | | |
| | | Detection software | 3.35 | | | |
| | | CONOPS | 3.00 | | | |
| Rohde & Schwarz | QPS WALK2000 | Detection hardware | 1.04 | 1 ⁽³⁾ (ECAC/EU expired) | A | 14/01/2020 |
| | | System software | 30.04.2019 | | | |
| | | Detection software | AA-2.0.2dev-8540 | | | |
| | | CONOPS | V01 | | | |

| Manufacturer | Equipment | | Standard | Type ⁽⁴⁾ | Notification | |
|---------------------|-------------|------------------------------|---|---------------------------------------|--------------|--------------------------------------|
| | Designation | Configuration ⁽²⁾ | | | | |
| Smiths Detection | eqo | System hardware | 11129800 91470001 BI-01-09-G-000-04 BI-01-09-G-245-04 001-115 V1.7 | 1 ⁽³⁾ (ECAC/EU expired) | A | 07/03/2017 |
| | | System software | | | | 14/02/2020 (Configuration Change) |
| | | Detection software | | | | |
| | | CONOPS | | | | |
| Smiths Detection | eqo | System hardware | 11129800 91470001 BI-01-09-G-000-04 BI-01-09-G-245-04 001-116 V1.7 | 1 ⁽³⁾ (ECAC/EU expired) | A | 07/03/2017 |
| | | System software | | | | 14/02/2020 (Configuration Change) |
| | | Detection software | | | | |
| | | CONOPS | | | | |

Notes:

⁽¹⁾ **ECAC/EU expired standard:** The use of equipment configurations meeting an expired standard is not recommended to ECAC Member States from the expiration date set out in Doc 30, Part II (Security). EU Member States shall not use equipment meeting an expired standard, in accordance with EU Regulations)

⁽²⁾ Information on **configuration** was provided by the equipment manufacturer as part of the testing process.

⁽³⁾ **Standard 1** for security scanners expired on 1 January 2022 (Ref ECAC Doc 30, Part II (Security) point 12.11.2.1; Ref Commission implementing Regulation (EU) 2015/1998 Annex 12.11.2.1)

⁽⁴⁾ **Type of Operations:** On the basis of the Concept of Operations (CONOPS) of the tested security scanner, provided by the manufacturer, the security scanner performance was tested for a given type of operations:

- **Type A:** Security scanner with automatic threat detection and indication of the location of detected objects on a stick figure.
- **Type B:** Security scanner with a human reviewer to analyse the image and to indicate the location of detected objects.